INDEX TO AUTHORS

A

Allen, Frank Worthington, and **Cerecedo, Leopold R.** Studies on purine metabolism. II. The fate of guanine in the organism of the dog, 313

Anderson, R. J. See NEWMAN and ANDERSON, 219, 229

Andrews, James C. The racemization and oxidation of cystine in acid solution, 263

— and **Andrews, Kathleen Crandall.** The decomposition of cystine phenylhydantoin, 253

Andrews, Kathleen Crandall. See ANDREWS and ANDREWS, 253

B

Ball, Eric G., and **Chen, Tung-Tou.** Studies on oxidation-reduction. XX. Epinephrine and related compounds, 691

Baumann, Emil J., Sprinson, David B., and **Metzger, Nannette.** The relation of thyroid to the conversion of cyanides to thiocyanate, 773

Baxter, Hamilton. Variations in the inorganic constituents of mixed and parotid gland saliva activated by reflex stimulation in the dog, 203

Binns, Dorothy. See MYERS, MUNTWYLER, BINNS, and DANIELSON, 19

Blau, Nathan F. The determination of thyroxine in the thyroid gland, 269

Booher, Lela E. The concentration and probable chemical nature of vitamin G, 39

Borsook, Henry, Huffman, Hugh M., and **Liu, Yun-Pu.** The preparation of crystalline lactic acid, 449

Brand, Erwin. See FAILEY and BRAND, 767

C

Calvery, Herbert O. Crystalline egg albumin. The hydrolysis of crystalline egg albumin by pepsin, papain-hydrocyanic acid, and pancreatic proteinase and the subsequent action of some other enzymes on the hydrolysis products produced by these enzymes, 73

Carr, C. Jelleff, Musser, Ruth, Schmidt, Jacob E., and **Krantz, John C., Jr.** The fate of mannitol and mannitan in the animal body, 721

Cerecedo, Leopold R. See ALLEN and CERECEDO, 313

XUM

Chanutin, Alfred, and **Ludewig, Stephan.** The effect of cholesterol ingestion on tissue lipids of rats, 57

Charles, A. F., and **Scott, D. A.** Studies on heparin. I. The preparation of heparin, 425

— and —. II. Heparin in various tissues, 431

—. See SCOTT and CHARLES, 437

Chen, Tung-Tou. See BALL and CHEN, 691

Christman, A. A., and **Randall, E. L.** A convenient and accurate method for the determination and detection of carbon monoxide in blood, 595

Clark, W. Mansfield. See BALL and CHEN, 691

Clarke, H. T. See ZAHND and CLARKE, 171

Cullen, Glenn E., and **Wilkins, Walter E.** Electrolytes in human tissue. I. The digestion of tissue and other biological material and the subsequent determination of various electrolytes, 403

—, —, and **Harrison, Tinsley R.** Electrolytes in human tissue. II. The electrolyte content of hearts and other tissues from cases with various diseases, 415

D

Danielson, Wayne H. See MYERS, MUNTWYLER, BINNS, and DANIELSON, 19

E

Eckstein, H. C. Glycogen formation in the white rat after oral administration of propionic, butyric, valeric, and caproic acids, 591

Elderfield, Robert C. See JACOBS and ELDERFIELD, 237

Elvehjem, C. A. See SCHULTZE and ELVEHJEM, 357

F

Failey, Crawford F., and **Brand, Erwin.** The electrometric titration of creatine ester hydrochloride and some related compounds, 767

G

Givens, Maurice H., and **Macy, Icie G.** The chemical composition of the human fetus, 7

Greaves, Joseph D., and **Schmidt, Carl L. A.** The rôle played by bile in the absorption of vitamin D in the rat, 101

Green, Arda Alden. See MARGARIA and GREEN, 611

H

Harrison, Tinsley R. See CULLEN, WILKINS, and HARRISON, 415

Harrow, Benjamin, Mazur, Abraham, and **Sherwin, Carl P.** Studies in acetylation. The fate of *p*-aminobenzoic acid in the rabbit, 35

Hess, W. C. See SULLIVAN and HESS, 67

Heymann, Karl. See LEVENE and HEYMANN, 1

Hill, Douglas W. See LEVENE and HILL, 563

Hiller, Alma. See VAN SLYKE and HILLER, 499
Huffman, Hugh M. See BORSOOK, HUFFMAN, and LIU, 449

I

Imai, Takeo. See MCCLENDON, 91
Ivy, A. C. See RONT, MORTIMER, and IVY, 161

J

Jacobs, Walter A., and **Elderfield, Robert C.** Strophanthin. XXVIII. Further degradation of strophanthidin and periplogenin derivatives, 237

K

Kirk, Esben. The existence of a urea precursor depot in kidney tissue, 683
—. See VAN SLYKE and KIRK, 651
—. See VAN SLYKE, PAGE, and KIRK, 635
Krantz, John C., Jr. See CARR, MUSSER, SCHMIDT, and KRANTZ, 721
Kugel, Victor H. See VAN SLYKE and KUGEL, 51, 489

L

Levene, P. A., and **Heymann, Karl.** On cerebronic acid. VIII, 1
— and **Hill, Douglas W.** The action of pyridine on sugars, 563
— and **Marker, R. E.** Optical rotations of configurationally related methoxypropionic and β-methoxybutyric nitriles, 297
Levene, P. A., and **Raymond, Albert L.** Derivatives of monoacetone xylose, 317
— and —. 3-Methyl xylose and 5-methyl xylose, 331
— and —. Phosphoric esters of xylose and of 5-methyl monoacetone xylose. Their bearing on the nature of the pentose of yeast nucleic acid, 347
— and **Stiller, Eric T.** Acetone derivatives of *d*-ribose, 187
— and **Yang, P. S.** Cerebronic acid. IX, 541
— and —. Oxidation and derivatives of *dl*-α-hydroxystearic acid, 557
—. See TAYLOR and LEVENE, 535
Liu, Yun-Pu. See BORSOOK, HUFFMAN, and LIU, 449
Loring, Hubert S., and **du Vigneaud, Vincent.** The isolation and characterization of mesocystine, 287
Ludewig, Stephan. See CHANUTIN and LUDEWIG, 57

M

Macy, Icie G. See GIVENS and MACY, 7
Margaria, Rodolfo, and **Green, Arda Alden.** The first dissociation constant, pK'_1, of carbonic acid in hemoglobin solutions and its relation to the existence of a combination of hemoglobin with carbon dioxide, 611

XUM

Marker, R. E. See LEVENE and MARKER, 297

Martin, Lay. Gastric juice. I. Studies on the proteins of the gastric juice of humans, 113

—. II. Studies on a urea-splitting enzyme and pepsin in relation to the proteins, 131

Mazur, Abraham. See HARROW, MAZUR, and SHERWIN, 35

McClendon, J. F. Iodine and goiter with especial reference to the Far East, 91

Metzger, Nannette. See BAUMANN, SPRINSON, and METZGER, 773

Meyer, Curtis E., and **Rose, William C.** Arginine metabolism. II. The relation of the arginine content of the diet to the creatine-creatinine production during growth, 461

Mortimer, B. See RONY, MORTIMER, and IVY, 161

Muntwyler, Edward. See MYERS, MUNTWYLER, BINNS, and DANIELSON, 19

Murrell, Florence C. See WESSON and MURRELL, 303

Musser, Ruth. See CARR, MUSSER, SCHMIDT, and KRANTZ, 721

Myers, Victor C., Muntwyler, Edward, Binns, Dorothy, and **Danielson, Wayne H.** The colorimetric estimation of the hydrogen ion concentration of blood, 19

N

Newman, M. S., and **Anderson, R. J.** The chemistry of the lipids of yeast. I. The composition of the acetone-soluble fat, 219

— and —. II. The composition of the phospholipids, 229

P

Page, Irvine H. See VAN SLYKE, PAGE, and KIRK, 635

Plazin, John. See VAN SLYKE and HILLER, 499

R

Randall, E. L. See CHRISTMAN and RANDALL, 595

Raymond, Albert L. See LEVENE and RAYMOND, 317, 331, 347

Rony, H. R., Mortimer, B., and **Ivy, A. C.** The source of the lipids found in the thoracic duct lymph in fasting. Endogenous lipid secretion and reabsorption in the bowel, 161

Rose, William C. See MEYER and ROSE, 461

S

Schlenker, Frank S. The quantitative microanalysis of plant juice for reducing sugars and sucrose, 29

Schmidt, Carl L. A. See GREAVES and SCHMIDT, 101

Schmidt, Jacob E. See CARR, MUSSER, SCHMIDT, and KRANTZ, 721

Schultze, M. O., and **Elvehjem, C. A.** The relation of iron and copper to the reticulocyte response in anemic rats, 357

XUM

Scott, D. A., and **Charles, A. F.** Studies on heparin. III. The purification of heparin, 437

—. See CHARLES and SCOTT, 425, 431

Sealock, Robert Ridgely. See DU VIGNEAUD, SIFFERD, and SEALOCK, 521

Sendroy, Julius, Jr. See VAN SLYKE and SENDROY, 505

Sherwin, Carl P. See HARROW, MAZUR, and SHERWIN, 35

Sifferd, Robert H. See DU VIGNEAUD, SIFFERD, and SEALOCK, 521

Smith, James H. C. Carotene. VI. A note on the hydrogenation of α- and β-carotenes, 157

Sprinson, David B. See BAUMANN, SPRINSON, and METZGER, 773

Stearns, Genevieve, and **Warweg, Edna.** Studies of phosphorus of blood. I. The partition of phosphorus in whole blood and serum, the serum calcium and plasma phosphatase from birth to maturity, 749

Stehle, Raymond L. A new method for separating pressor and oxytocic substances from the posterior lobe of the pituitary gland, 573

Stiller, Eric T. See LEVENE and STILLER, 187

Strain, Harold H. Carotene. V. Formation of geronic acid by ozonization of carotene, dihydrocarotene, and related compounds, 137

Strain, Harold H. Ozonization of lycopene. Formation of levulinic acid and levulinic aldehyde, 151

Sullivan, M. X., and **Hess, W. C.** Ergothioneine in the urine, 67

Sunderman, F. William, and **Williams, Priscilla.** The analysis of chloride in tissues, 279

T

Taylor, F. A., and **Levene, P. A.** On the cerebronic acid fraction. II, 535

V

Van Slyke, Donald D., and **Hiller, Alma.** Determination of ammonia in blood, 499

— and **Kirk, Esben.** Comparison of gasometric, colorimetric, and titrimetric determinations of amino nitrogen in blood and urine, 651

— and **Kugel, Victor H.** Improvements in manometric micro-Kjeldahl and blood urea methods, 489

— and —. The use of Somogyi's filtrate to increase the specificity of the gasometric blood sugar method, 51

—, **Page, Irvine H.,** and **Kirk, Esben.** A manometric micromethod for determination of carbon in organic compounds, 635

— and **Sendroy, Julius, Jr.** Studies of gas and electrolyte equilibria in blood. XVII. The effect of oxygenation and reduction on the carbon di-

XUM

oxide absorption curve and the pK′ of whole blood, 505
du Vigneaud, Vincent, Sifferd, Robert H., and **Sealock, Robert Ridgely.** The heat precipitation of insulin, 521
—. See LORING and DU VIGNEAUD, 287

W

Warweg, Edna. See STEARNS and WARWEG, 749
Wendel, William B. A note on the determination of lactic and pyruvic acids, 47
—. Oxidations by erythrocytes and the catalytic influence of methylene blue. I. The oxidation of lactate to pyruvate, 373
—. II. Methemoglobin and the effect of cyanide, 385
Wesson, Laurence G., and **Murrell, Florence C.** A dietary factor concerned with carbohydrate metabolism, 303
White, Julius. The preparation of glycyltaurine and glycylcysteic acid, 249
Whittier, E. O. Buffer intensities of milk and milk constituents. II. Buffer action of calcium phosphate, 783
Wilkins, Walter E. See CULLEN and WILKINS, 403
—. See CULLEN, WILKINS, and HARRISON, 415
Williams, Priscilla. See SUNDERMAN and WILLIAMS, 279
Wintersteiner, Oskar. The action of sulfhydryl compounds on insulin, 473

Y

Yang, P. S. See LEVENE and YANG, 541, 557

Z

Zahnd, H., and **Clarke, H. T.** Labile sulfur in proteins, 171

INDEX TO SUBJECTS

Entries are not made for physical constants or properties, but only under the substance in question. Thus, the *Absorption curve of carbon dioxide* will be found only under *Carbon dioxide; Optical rotation of glucose*, only under *Glucose*.

Similarly, physiological phenomena such as *Absorption, Assimilation, Digestion, Equilibrium, Excretion, Fermentation, Metabolism, Respiration*, etc., are not indexed as such, but only under the substance in question.

When a definite constituent is given in connection with *Biological fluids, Biological material, Blood, Blood cell, Blood plasma, Blood serum, Diet, Milk, Tissues, Urine*, the constituent only is indexed; *i.e., Cholesterol in blood*, etc., is indexed under *Cholesterol*, not under *Blood*, etc. However, *Blood sugar* is indexed as such.

A

Albumin:
Egg, crystalline, enzyme hydrolysis (CALVERY) 73

***p*-Aminobenzoic acid:**
Acetylation (HARROW, MAZUR, and SHERWIN) 35
Fate, rabbit (HARROW, MAZUR, and SHERWIN) 35

Amino nitrogen:
Blood, determination, various methods, comparison (VAN SLYKE and KIRK) 651
Urine, determination, various methods, comparison (VAN SLYKE and KIRK) 651

Ammonia:
Blood, determination (VAN SLYKE and HILLER) 499

Anemia:
Reticulocyte response, copper effect (SCHULTZE and ELVEHJEM) 357
— —, iron effect (SCHULTZE and ELVEHJEM) 357

Arginine:
Dietary, creatine-creatinine production, growth, effect (MEYER and ROSE) 461
Metabolism. II (MEYER and ROSE) 461

B

Benzoic acid:
p-Amino-, acetylation (HARROW, MAZUR, and SHERWIN) 35
—, fate, rabbit (HARROW, MAZUR, and SHERWIN) 35

XUM

Bile:
Vitamin D absorption, rôle (Greaves and Schmidt) 101

Blood:
Dissociation constant, apparent, oxygenation and reduction effect (Van Slyke and Sendroy) 505

Blood cell:
Red, lactate-pyruvate oxidation, methylene blue and, effect (Wendel) 373
—, oxidation, methylene blue and, cyanide effect (Wendel) 385
—, —, — — and, methemoglobin effect (Wendel) 385
—, —, — — effect. I (Wendel) 373
II (Wendel) 385
See also Reticulocyte.

Blood sugar:
Determination, gasometric, Somogyi filtrate (Van Slyke and Kugel) 51

Butyric acid:
Glycogen formation, ingestion effect (Eckstein) 591

C

Calcium:
Blood serum, age relation (Stearns and Warweg) 749

Calcium phosphate:
Milk, buffer action (Whittier) 733

Caproic acid:
Glycogen formation, ingestion effect (Eckstein) 591

Carbohydrate:
Metabolism, dietary factor (Wesson and Murrell) 303

Carbon:
Organic compounds, microdetermination, manometric (Van Slyke, Page, and Kirk) 635

Carbon dioxide:
Absorption curve, blood, oxygenation and reduction effect (Van Slyke and Sendroy) 505
Hemoglobin combination, carbonic acid dissociation constant, first, relation (Margaria and Green) 611

Carbon monoxide:
Blood, determination (Christman and Randall) 595

Carbonic acid:
Dissociation constant, first, hemoglobin solutions, hemoglobin and carbon dioxide, relation (Margaria and Green) 611

Carotene:
V (Strain) 137
VI (Smith) 157
Dihydro-, ozonization, geronic acid formation (Strain) 137
Ozonization, geronic acid formation (Strain) 137

XUM

Carotene—*continued:*
-Related compounds, ozonization, geronic acid formation (STRAIN) 137
α-Carotene:
Hydrogenation (SMITH) 157
β-Carotene:
Hydrogenation (SMITH) 157
Cerebronic acid:
VIII (LEVENE and HEYMANN) 1
IX (LEVENE and YANG) 541
Fraction. II (TAYLOR and LEVENE) 535
Chloride:
Tissue, determination (SUNDERMAN and WILLIAMS) 279
Cholesterol:
Lipids, tissue, ingestion effect (CHANUTIN and LUDEWIG) 57
Copper:
Reticulocyte response, anemia, effect (SCHULTZE and ELVEHJEM 357
Creatine:
-Creatinine production, growth, arginine, dietary, effect (MEYER and ROSE) 461
Creatine ester hydrochloride:
-Related compounds, titration, electrometric (FAILEY and BRAND) 767
Titration, electrometric (FAILEY and BRAND) 767
Creatinine:
Creatine-, production, growth, arginine, dietary, effect (MEYER and ROSE) 461
Cyanide:
Blood cell, red, oxidation, methylene blue and, effect (WENDEL) 385
-Thiocyanate conversion, thyroid relation (BAUMANN, SPRINSON, and METZGER) 773
Cysteic acid:
Glycyl-, preparation (WHITE) 249
Cystine:
Meso-, isolation and characterization (LORING and DU VIGNEAUD) 287
Oxidation, acid solution (ANDREWS) 263
Racemization, acid solution (ANDREWS) 263
Cystine phenylhydantoin:
Decomposition (ANDREWS and ANDREWS) 253

D

Dihydrocarotene:
Ozonization, geronic acid formation (STRAIN) 137

E

Egg:
Albumin, crystalline, enzyme hydrolysis (CALVERY) 73
Electrolyte:
Equilibrium, gas and, in blood. XVII (VAN SLYKE and SENDROY) 505

XUM

Electrolyte—*continued:*
Heart, disease effect (CULLEN, WILKINS, and HARRISON) 415
Tissue, determination (CULLEN and WILKINS) 403
—, disease effect (CULLEN, WILKINS, and HARRISON) 415
—, human. I (CULLEN and WILKINS) 403
II (CULLEN, WILKINS, and HARRISON) 415
Enzyme:
Urea-splitting, gastric juice protein, relation (MARTIN) 131
See also Papain, Pepsin, Phosphatase, and Proteinase.
Epinephrine:
Oxidation-reduction (BALL and CHEN) 691
-Related compounds, oxidation-reduction (BALL and CHEN) 691
Ergothioneine:
Urine (SULLIVAN and HESS) 67
Erythrocyte:
See Blood cell, red.

F

Fasting:
Lymph lipids, thoracic duct (RONY, MORTIMER, and IVY) 161
Fat:
Acetone-soluble, yeast (NEWMAN and ANDERSON) 219
Fetus:
Human (GIVENS and MACY) 7

G

Gas:
Equilibrium, electrolyte and, in blood. XVII (VAN SLYKE and SENDROY) 505
Geronic acid:
Formation, carotene, ozonization (STRAIN) 137
—, dihydrocarotene, ozonization (STRAIN) 137
Glycogen:
Formation, butyric acid ingestion (ECKSTEIN) 591
—, caproic acid ingestion (ECKSTEIN) 591
—, propionic acid ingestion (ECKSTEIN) 591
—, valeric acid ingestion (ECKSTEIN) 591
Glycylcysteic acid:
Preparation (WHITE) 249
Glycyltaurine:
Preparation (WHITE) 249
Goiter:
Iodine and, in Far East (McCLENDON) 91
Guanine:
Fate, dog (ALLEN and CERECEDO) 313

H

Heart:
See also Muscle.
Hemoglobin:
Carbon dioxide combination, carbonic acid dissociation constant, first, relation (MARGARIA and GREEN) 611

Hemoglobin—*continued:*
Solution, carbonic acid dissociation constant, first, hemoglobin and carbon dioxide, relation (MARGARIA and GREEN) 611

Heparin:
I (CHARLES and SCOTT) 425
II (CHARLES and SCOTT) 431
III (SCOTT and CHARLES) 437
Preparation (CHARLES and SCOTT) 425
Purification (SCOTT and CHARLES) 437
Tissue (CHARLES and SCOTT) 431

Hydantoin:
Phenyl-, cystine, decomposition (ANDREWS and ANDREWS) 253

Hydrogen ion concentration:
Blood, determination, colorimetric (MYERS, MUNTWYLER, BINNS, and DANIELSON) 19

***dl*-α-Hydroxystearic acid:**
Derivatives (LEVENE and YANG) 557
Oxidation (LEVENE and YANG) 557

I

Inorganic constituents:
Saliva, mixed (BAXTER) 203
—, parotid gland (BAXTER) 203

Insulin:
Heat precipitation (DU VIGNEAUD, SIFFERD, and SEALOCK) 521
Sulfhydryl compounds, effect (WINTERSTEINER) 473

Iodine:
Goiter and, in Far East (McCLENDON) 91

Iron:
Reticulocyte response, anemia, effect (SCHULTZE and ELVEHJEM) 357

K

Kidney:
Urea precursor in (KIRK) 683

L

Lactate:
Oxidation to pyruvate, erythrocytes and methylene blue effect (WENDEL) 373

Lactic acid:
Crystalline, preparation (BORSOOK, HUFFMAN, and LIU) 449
Determination (WENDEL) 47

Levulinic acid:
Formation, lycopene ozonization (STRAIN) 151

Levulinic aldehyde:
Formation, lycopene ozonization (STRAIN) 151

Lipid(s):
Lymph, thoracic duct, fasting (RONY, MORTIMER, and IVY) 161

XUM

Lipid(s)—*continued:*
Reabsorption, bowel (RONY, MORTIMER, and IVY) 161
Secretion, bowel (RONY, MORTIMER, and IVY) 161
Tissue, cholesterol ingestion effect (CHANUTIN and LUDEWIG) 57
Yeast, chemistry. I (NEWMAN and ANDERSON) 219
II (NEWMAN and ANDERSON) 229
Lycopene:
Ozonization, levulinic acid formation (STRAIN) 151
—, — aldehyde formation (STRAIN) 151
Lymph:
Lipids, thoracic duct, fasting (RONY, MORTIMER, and IVY) 161

M

Mannitan:
Fate (CARR, MUSSER, SCHMIDT, and KRANTZ) 721
Mannitol:
Fate (CARR, MUSSER, SCHMIDT, and KRANTZ) 721
Mesocystine:
Isolation and characterization (LORING and DU VIGNEAUD) 287
Methemoglobin:
Blood cell, red, oxidation, methylene blue and, effect (WENDEL) 385
β-Methoxybutyric nitrile:
Methoxypropionic nitrile, configurational relationship (LEVENE and MARKER) 297
Methoxypropionic nitrile:
β-Methoxybutyric nitrile, configurational relationship (LEVENE and MARKER) 297
Methylene blue:
Blood cell, red, oxidation, cyanide effect (WENDEL) 385
— —, —, —, effect. I (WENDEL) 373
II (WENDEL) 385
— —, —, —, methemoglobin effect (WENDEL) 385
Lactate-pyruvate oxidation, erythrocytes and, effect (WENDEL) 373
5-Methyl monoacetone xylose:
Phosphoric esters, pentose, yeast nucleic acid, relation (LEVENE and RAYMOND) 347
3-Methyl xylose:
(LEVENE and RAYMOND) 331
5-Methyl xylose:
(LEVENE and RAYMOND) 331
Milk:
Buffer intensity. II (WHITTIER) 733
Monoacetone xylose:
Derivatives (LEVENE and RAYMOND) 317
Muscle:
Heart, electrolytes, disease effect (CULLEN, WILKINS, and HARRISON) 415

N

Nitriles:
β-Methoxybutyric and methoxypropionic, configurational relationship (Levene and Marker) 297
Methoxypropionic and β-methoxybutyric, configurational relationship (Levene and Marker) 297

Nitrogen:
Amino. *See* Amino nitrogen.
Microdetermination, manometric (Van Slyke and Kugel) 489

Nucleic acid:
Yeast, pentose, 5-methyl monoacetone xylose phosphoric esters, relation (Levene and Raymond) 347
—, —, xylose phosphoric esters, relation (Levene and Raymond) 347

O

Organic compounds:
Carbon, microdetermination, manometric (Van Slyke, Page, and Kirk) 635

Oxidation-reduction:
XX (Ball and Chen) 691

Oxytocic substance:
Pituitary gland, posterior, preparation (Stehle) 573

P

Papain:
-Hydrocyanic acid, egg albumin, crystalline, hydrolysis (Calvery) 73

Parotid gland:
Saliva, inorganic constituents (Baxter) 203

Pentose:
Yeast nucleic acid, 5-methyl monoacetone xylose phosphoric esters, relation (Levene and Raymond) 347
— — —, xylose phosphoric esters, relation (Levene and Raymond) 347

Pepsin:
Egg albumin, crystalline, hydrolysis (Calvery) 73
Gastric juice protein, relation (Martin) 131

Periplogenin:
Derivatives, degradation (Jacobs and Elderfield) 237

Phenylhydantoin:
Cystine, decomposition (Andrews and Andrews) 253

Phosphatase:
Blood plasma, age relation (Stearns and Warweg) 749

Phospholipid:
Yeast (Newman and Anderson) 229

Phosphorus:
Blood. I (Stearns and Warweg) 749
—, partition (Stearns and Warweg) 749

XUM

Phosphorus—*continued:*
Blood serum partition (STEARNS and WARWEG) 749
Pituitary gland:
Posterior, oxytocic substance preparation (STEHLE) 573
—, pressor substance preparation (STEHLE) 573
Plant:
Juice, sucrose, microdetermination (SCHLENKER) 29
—, sugars, reducing, microdetermination (SCHLENKER) 29
Pressor substance:
Pituitary gland, posterior, preparation (STEHLE) 573
Propionic acid:
Glycogen formation, ingestion effect (ECKSTEIN) 591
Protein(s):
Gastric juice (MARTIN) 113
— —, urea-splitting enzyme, relation (MARTIN) 131
Sulfur, labile (ZAHND and CLARKE) 171
Proteinase:
Pancreatic, egg albumin, crystalline, hydrolysis (CALVERY) 73
Purine:
Metabolism. II (ALLEN and CERECEDO) 313
Pyridine:
Sugars, action (LEVENE and HILL) 563
Pyruvate:
Lactate oxidation to, erythrocytes and methylene blue effect (WENDEL) 373
Pyruvic acid:
Determination (WENDEL) 47

R

Reticulocyte:
Copper effect, anemia (SCHULTZE and ELVEHJEM) 357
Iron effect, anemia (SCHULTZE and ELVEHJEM) 357
d-**Ribose:**
Acetone derivatives (LEVENE and STILLER) 187

S

Saliva:
Mixed, inorganic constituents (BAXTER) 203
Parotid gland, inorganic constituents (BAXTER) 203
Stearic acid:
dl-α-Hydroxy-, derivatives (LEVENE and YANG) 557
—, oxidation (LEVENE and YANG) 557
Stomach:
Gastric juice. I (MARTIN) 113
II (MARTIN) 131
— —, enzyme, urea-splitting, protein, relation (MARTIN) 131
— —, pepsin, protein, relation (MARTIN) 131

XUM

Stomach—*continued:*
Gastric juice, proteins (MARTIN) 113
Strophanthidin:
Degradation (JACOBS and ELDERFIELD) 237
Strophanthin:
XXVIII (JACOBS and ELDERFIELD). 237
Sucrose:
Plant juice, microdetermination (SCHLENKER) 29
Sugar(s):
Pyridine action (LEVENE and HILL) 563
Reducing, plant juice, microdetermination (SCHLENKER) 29
Sulfhydryl compounds:
Insulin, effect (WINTERSTEINER) 473
Sulfur:
Labile, proteins (ZAHND and CLARKE) 171

T

Taurine:
Glycyl-, preparation (WHITE) 249
Thiocyanate:
-Cyanide conversion, thyroid relation (BAUMANN, SPRINSON, and METZGER) 773
Thoracic duct:
Lymph, lipids, fasting (RONY, MORTIMER, and IVY) 161
Thyroid:
Cyanide-thiocyanate, relation (BAUMANN, SPRINSON, and METZGER) 773
Gland, thyroxine determination (BLAU) 269
Thyroxine:
Thyroid gland, determination (BLAU) 269
Tissue:
Digestion (CULLEN and WILKINS) 403

U

Urea:
Blood, determination, manometric (VAN SLYKE and KUGEL) 489
Precursor, kidney tissue (KIRK) 683
-Splitting enzyme, gastric juice protein, relation (MARTIN) 131

V

Valeric acid:
Glycogen formation, ingestion effect (ECKSTEIN) 591
Vitamin(s):
D, absorption, bile rôle (GREAVES and SCHMIDT) 101
G, concentration (BOOHER) 39
—, nature (BOOHER) 39

X

Xylose:
3-Methyl (LEVENE and RAYMOND) 331
5-Methyl (LEVENE and RAYMOND) 331
— monoacetone, phosphoric esters, pentose, yeast nucleic acid, relation (LEVENE and RAYMOND) 347

XUM

Xylose—*continued:*
Monoacetone, derivatives (LEVENE and RAYMOND) 317
Phosphoric esters, pentose, yeast nucleic acid, relation (LEVENE and RAYMOND) 347

Y

Yeast:
Fat, acetone-soluble (NEWMAN and ANDERSON) 219
Yeast—*continued:*
Lipids, chemistry. I (NEWMAN and ANDERSON) 219
II (NEWMAN and ANDERSON) 229
Nucleic acid, pentose, 5-methyl monoacetone xylose phosphoric esters, relation (LEVENE and RAYMOND) 347
— —, —, xylose phosphoric esters, relation (LEVENE and RAYMOND) 347
Phospholipid (NEWMAN and ANDERSON) 229

XUM